Ref. 2661

ROPE ACCESS, TOWERS/INDUSTRY, TEAM RESCUE

The GT XT follows the design of our top-end rope access harnesses with modifications to bring it in line with the most current ANSI standards. With its dual certification (ANSI + EN), the GT XT satisfies the strict regulatory needs of workers in many parts of the world.

Based on the GT Sit + Chest harnesses, the GT XT was also developed from the findings of our "SOSPESI" research program which gave us new insights on suspension trauma. The innovative connection between the waist belt and leg loops makes the sit harness comfortable both during suspension and on the ground. The padding uses variable thicknesses and stiffness to provide the right amount of support and comfort for every part of the body. Ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools. Supplied with a 3Lock steel carabiner with removable antirotation pin. Equipped with a keeper strap for securing a chest ascender in a streamlined way. ANSI STS automatic buckles on the leg loops.

Certified break-away parking loops for lanyards on the shoulders.

6 aluminum alloy attachment points: 1 sternal and 1 dorsal for fall arrest with certified load indicators, 1 ventral for suspension, 2 side and 1 back for positioning and restraint.

Equipped with NFC TRACK tag for digital identification.

2 sizes.

2022 UPDATE: new name (GT XT instead of GT ANSI).





| GIXI  | віаск |
|-------|-------|
| 26610 | 3     |
|       | _     |
|       |       |
|       |       |

| Ref.           | Product name         | Size  | Wei  | ght  | Waist cm B                | Legs cm     | Height cm | (€        |           |           | ANSI    | EAC | Attachment points |
|----------------|----------------------|-------|------|------|---------------------------|-------------|-----------|-----------|-----------|-----------|---------|-----|-------------------|
|                |                      |       | g    | oz   | <i>L</i> ∧∆ <b>B (cm)</b> | ريك<br>(cm) | D (cm)    | EN<br>358 | EN<br>361 | EN<br>813 | Z359.11 |     | recomment points  |
| 2661<br>266103 | GT XT<br>GT XT BLACK | S-L   | 2480 | 87.5 | 80-120                    | 50-65       | 55-75     |           |           |           | •       | •   | <b>(</b>          |
|                |                      | L-XXL | 2600 | 91.8 | 90-140                    | 60-75       | 65-85     | ľ         | •         |           |         |     |                   |



Ref. 2661

ROPE ACCESS, TOWERS/INDUSTRY, TEAM RESCUE

- The innovative connection between the waist belt and leg loops makes the sit harness comfortable both during suspension and on the ground.
- Patented ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools.
- Six aluminum alloy attachment points: 1 sternal and 1 dorsal for fall arrest with certified load indicators; 1 ventral for suspension; 2 side and 1 back for positioning and restraint.
- Certified break-away loops for lanyards on the shoulders.
- 6 Patented ANSI STS automatic buckles on the leg loops.
- 6 Load indicators stitching.
- **O** Steel buckles for belt and chest adjustment.
- Triple-layer belt padding: comfortable 3D mesh inside. Additional rigid foam on back load areas.
- Double density leg-loops padding: stiffer on the back for load support, softer on the groin area for comfort. 3D mesh inside. Large contact area for pressure distribution.
- 1 Back leg-loops connection webbings adjustable in length.
- O Polyester webbing, 44 mm wide.
- Webbing system for fastening "HUB" ref.0910 gear-carabiner (supplied separately).
- Four large side gear loops.
- System for chest ascender fastening.
- Steel connector with anti-rotation pin.
- Patented "Sicura" buckles for fastening "Access Swing" Ref. 1963.
- Equipped with NFC TRACK tag for digital identification.





**FALL INDICATOR** 



LANYARD PARKING





## NFC Track | G.T.S.

C.A.M.P. presents in this catalog a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.



**NFC TRACK chips are installed on many C.A.M.P. products** (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.

**NFC (Near Field Communication) technology** is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID** (High Frequency Radio Frequency Identification) communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.





## -G.T.S.- GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app.

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S.** includes the technical information of all **C.A.M.P.** products for work at height and a large number of other products posted by other users of the community with publicly available information.



